ELSEVIER

Clinical Neurophysiology 116 (2005) 2921–2933

www.elsevier.com/locate/clinph

Table of Contents

VOLUME 116 (2005)

Editorials

One patient, two carpal tunnels: statistical and clinical analysis—by hand or by patient?
L. Padua, P. Pasqualetti, R. Rosenbaum (Italy, USA) 241

Neurophysiological approach in the peripheral anesthetic blocks as a diagnosis and prognosis tool for spasticity
E.J. Viel (France) 1491

Trusting in or breaking with convention: Towards a renaissance of principal components analysis in electrophysiology
J. Kayser, C.E. Tenke (USA) 1747

On the nature and measurement of spasticity
M.F. Levin (Canada) 1754

Peak-dose dyskinesia; an acceptable price for mobility in late-stage Parkinson's disease?
R. Wenzelburger (Germany) 1997

Electrophysiology and Intelligence
R.J. Barry, A.R. Clarke, P. Caputi (Australia) 1999

Can vegetative state patients retain cortical processing?
C. Machado (Cuba) 2253

Trends in European CN
G. Cruccu, E. Stålberg (Italy, Sweden) 2507

Is there a role of clinical neurophysiology in primary headache?
M. Valeriani (Italy) 2717

Obituary

Annelise Rosenfalck, 1922–2004
W. Trojaborg, L. Arendt-Nielsen, C. Krarup (Denmark) 991

Invited Reviews

Full-band EEG (FbEEG): an emerging standard in electroencephalography
S. Vanhatalo, J. Voipio, K. Kaila (Finland) 1

Motor cortex dysfunction revealed by cortical excitability studies in Parkinson's disease: influence of antiparkinsonian treatment and cortical stimulation
J.-P. Lefaucheur (France) 244

Electrophysiological studies on human pain perception
R. Kakigi, K. Inui, Y. Tamura (Japan) 743

The utility of neurophysiological markers in the study of alcoholism
B. Porjesz, M. Rangaswamy, C. Kamarajan, K.A. Jones, A. Padmanabhapillai, H. Begleiter (USA) 993

The role of electromyography in the management of the brachial plexus palsy of the newborn
M. Pitt, J.-W. Vredeveld (UK, The Netherlands) 1756

Routine and quantitative EEG in mild traumatic brain injury
M.R. Nuwer, D.A. Hovda, L.M. Schrader, P.M. Vespa (USA) 2001

Neurophysiological assessment of trigeminal nerve reflexes in disorders of central and peripheral nervous system
J. Valls-Solé (Spain) 2255

Nonlinear dynamical analysis of EEG and MEG: Review of an emerging field
C.J. Stam (The Netherlands) 2266

Basal ganglia local field potential activity: Character and functional significance in the human
P. Brown, D. Williams (UK) 2510

doi:10.1016/S1388-2457(05)00450-5

Human EEG gamma oscillations in neuropsychiatric disorders
C.S. Herrmann, T. Demiralp (Germany, Turkey) 2719

Special Section: First International Collaborative Workshop on Seizure Prediction

In search of seizure prediction: a critique (Editorial)
J.S. Ebersole (USA) 489
The First International Collaborative Workshop on Seizure Prediction: summary and data description
K. Lehnertz, B. Litt (Germany, USA) 493
A multi-feature and multi-channel univariate selection process for seizure prediction
M. D'Alessandro, G. Vachtsevanos, R. Esteller, J. Echauz, S. Cranstoun, G. Worrell, L. Parish, B. Litt (USA) 506
Continuous energy variation during the seizure cycle: towards an on-line accumulated energy
R. Esteller, J. Echauz, M. D'Alessandro, G. Worrell, S. Cranstoun, G. Vachtsevanos, B. Litt (USA) 517
Accumulated energy revisited
M.A.F. Harrison, M.G. Frei, I. Osorio (USA) 527
Long-term prospective on-line real-time seizure prediction
L.D. Iasemidis, D.-S. Shiau, P.M. Pardalos, W. Chaovalitwongse, K. Narayanan, A. Prasad, K. Tsakalis, P.R. Carney, J.C. Sackellares (USA) 532
Multivariate linear discrimination of seizures
K.K. Jerger, S.L. Weinstein, T. Sauer, S.J. Schiff (USA) 545
Signal complexity and synchrony of epileptic seizures: is there an identifiable preictal period?
C.C. Jouny, P.J. Franaszczuk, G.K. Bergey (USA) 552
Preictal state identification by synchronization changes in long-term intracranial EEG recordings
M. Le Van Quyen, J. Soss, V. Navarro, R. Robertson, M. Chavez, M. Baulac, J. Martinerie (France, USA) 559
On the predictability of epileptic seizures
F. Mormann, T. Kreuz, C. Rieke, R.G. Andrzejak, A. Kraskov, P. David, C.E. Elger, K. Lehnertz (Germany) 569

Original Research Articles

Slow-wave activity arising from the same area as epileptiform activity in the EEG of paediatric patients with focal epilepsy
B. Vanrumste, R.D. Jones, P.J. Bones, G.J. Carroll (New Zealand, Belgium) 9
Spatial enhancement of EEG traces by surface Laplacian estimation: comparison between local and global methods
C. Tandonnet, B. Burle, T. Hasbroucq, F. Vidal (France) 18
Bicycle ergometer test to obtain adequate skin temperature when measuring nerve conduction velocity
H. Sandén, M. Edblom, M. Hagberg, B.G. Wallin (Sweden) 25
Anti-Hu antibody neuropathy: a clinical, electrophysiological, and pathological study
S.J. Oh, Y. Gürtekin, E.J. Dropcho, P. King, G.C. Claussen (USA) 28
Transcranial magnetic stimulation in lower motor neuron diseases
S. Attarian, J.-Ph. Azulay, D. Lardillier, A. Verschueren, J. Pouget (France) 35
'Neurographic' palmaris brevis sign in type II° ulnar neuropathy at wrist
A. Morini, W.S. Della Sala, G. Bianchini, R. Cannova, M.C. Nostro, D. Orrico (Italy) 43
Influence of medical audit on electrodiagnostic evaluation of polyneuropathy. A multicentre study
K. Pugdahl, H. Tankisi, A. Fuglsang-Frederiksen, B. Johnsen, M. de Carvalho, P.R.W. Fawcett, A. Labarre-Vila, R. Liguori, W. Nix, M.L. Olsen, I.S. Schofield (Denmark, Portugal, UK, France, Italy, Germany) 49
Brain-computer interface (BCI) operation: signal and noise during early training sessions
D.J. McFarland, W.A. Sarnacki, T.M. Vaughan, J.R. Wolpaw (USA) 56
Brain potentials related to self-generated and external information used for performance monitoring
S.V. Müller, J. Möller, A. Rodriguez-Fornells, T.F. Münte (Germany, Spain) 63
Interlimb reflex activity after spinal cord injury in man: strengthening response patterns are consistent with ongoing synaptic plasticity
B. Calancie, N. Alexeeva, J.G. Broton, M.R. Molano (USA) 75
Proprioceptive coordination of movement sequences in humans
R.K. Shields, S. Madhavan, K.R. Cole, J.D. Brostad, J.L. DeMeulenaere, C.D. Eggers, P.H. Otten (USA) 87
Differences in kinematic parameters and plantarflexor reflex responses between manual (Ashworth) and isokinetic mobilisations in spasticity assessment
G. Rabita, L. Dupont, A. Thevenon, G. Lensel-Corbeil, C. Pérot, J. Vanvelcenaher (France) 93
Stroke affects the coordination and stabilization of head, thorax and pelvis during voluntary horizontal head motions performed in walking
A. Lamontagne, S.J. De Serres, J. Fung, N. Paquet (Canada) 101
Magnetic fields evoked by speech sounds in preschool children
E. Pihko, T. Kujala, A. Mickos, H. Antell, P. Alku, R. Byring, M. Korkman (Finland) 112
Schizophrenic patients are impaired in memory reinstatement underlying mismatch negativity system
Y. Minami, E. Kirino (Japan) 120

Selective attention event-related potential effects from auditory novel stimuli in children and adults
S. Määttä, A. Pääkkönen, P. Saavalainen, J. Partanen (Finland) 129
Event-related potentials to elementary auditory input in distractible adolescents
S. Määttä, P. Saavalainen, E. Herrgård, A. Pääkkönen, L. Luoma, E. Laukkanen, J. Partanen (Finland) 142
Changes in neural complexity of the EEG during a visual oddball task
N.M. Branston, W. El-Deredy, F.P. McGlone (UK) 151
Intracerebral P3-like waveforms and the length of the stimulus–response interval in a visual oddball paradigm
R. Roman, M. Brázdil, P. Jurák, I. Rektor, M. Kukleta (Czech Republic) 160
EEG phase synchrony differences across visual perception conditions may depend on recording and analysis methods
L.T. Trujillo, M.A. Peterson, A.W. Kaszniak, J.J.B. Allen (USA) 172
Long-term exposure to occupational noise alters the cortical organization of sound processing
E. Brattico, T. Kujala, M. Tervaniemi, P. Alku, L. Ambrosi, V. Monitillo (Finland, Italy) 190
Abnormal H-reflexes in periodic limb movement disorder; impact on understanding the pathophysiology of the disorder
R.M. Rijsman, C.J. Stam, A.W. de Weerd (The Netherlands) 204
Total sleep deprivation and novelty processing: implications for frontal lobe functioning
A. Gosselin, J. De Koninck, K.B. Campbell (Canada) 211
Cognitive impairment and diffuse white matter atrophy in alcoholics
H. Mochizuki, T. Masaki, S. Matsushita, Y. Ugawa, K. Kamakura, H. Arai, K. Motoyoshi, S. Higuchi (Japan) 223
Prediction of 'awakening' and outcome in prolonged acute coma from severe traumatic brain injury: evidence for validity of short latency SEPs
A. Amantini, A. Grippo, S. Fossi, C. Cesaretti, A. Piccioli, A. Peris, A. Ragazzoni, F. Pinto (Italy) 229
Strength-duration properties and glycemic control in human diabetic motor nerves
S. Misawa, S. Kuwabara, K. Ogawara, Y. Kitano, T. Hattori (Japan) 254
Frequency of neurogenic thoracic outlet syndrome in patients with definite carpal tunnel syndrome: an electrophysiological evaluation in 100 women
P. Seror (France) 259
Comparison of automated and manual F-wave latency measurements
M.A. Fisher (USA) 264
The acute effects of glycemic control on nerve conduction in human diabetics
Y. Kikkawa, S. Kuwabara, S. Misawa, N. Tamura, Y. Kitano, K. Ogawara, T. Hattori (Japan) 270
What symptoms are truly caused by median nerve compression in carpal tunnel syndrome?
D.B. Nora, J. Becker, J.A. Ehlers, I. Gomes (Brazil) 275
The effects of mexiletine on excitability properties of human median motor axons
S. Kuwabara, S. Misawa, N. Tamura, K. Kanai, A. Hiraga, K. Ogawara, M. Nakata, T. Hattori (Japan) 284
Electrode position and size in electrical impedance myography
S.B. Rutkove, R.A. Partida, G.J. Esper, R. Aaron, C.A. Shiffman (USA) 290
Ipsi- and contralateral exteroceptive EMG modulation in uni- and bilaterally activated thenar muscles
M. Kofler, K. Poustka (Austria) 300
Caffeine has no effect on measures of cortical excitability
M. Orth, B. Amann, N. Ratnaraj, P.N. Patsalos, J.C. Rothwell (UK) 308
Role of cerebral cortex in human postural control: an EEG study
S. Slobounov, M. Hallett, S. Stanhope, H. Shibasaki (USA) 315
Stimulant drug action in attention deficit hyperactivity disorder (ADHD): inference of neurophysiological mechanisms via quantitative modelling
D.L. Rowe, P.A. Robinson, E. Gordon (Australia) 324
The 'F-complex' and MMN tap different aspects of deviance
I. Laufer, H. Pratt (Israel) 336
Deviance-related electrophysiological activity in mice: is there mismatch negativity in mice?
D. Umbricht, D. Vyssotki, A. Latanov, R. Nitsch, H.-P. Lipp (Switzerland, Russia) 353
Resting SPECT-neuropsychology correlation in very mild Alzheimer's disease
F. Nobili, A. Brugnolo, P. Calvini, F. Copello, C. De Leo, N. Girtler, S. Morbelli, A. Piccardo, P. Vitali, G. Rodriguez (Italy) 364
Chronic effects of social drinking in a card-sorting task: an event related potential study
S. Bijl, E.A. de Bruin, K.B.E. Böcker, J.L. Kenemans, M.N. Verbaten (The Netherlands) 376
Effect of electroconvulsive therapy on cortical excitability in patients with major depression: a transcranial magnetic stimulation study
A.V. Chistyakov, B. Kaplan, O. Rubichek, I. Kreinin, D. Koren, H. Hafner, M. Feinsod, E. Klein (Israel) 386
Left hemisphere specialization for rapid temporal processing: a study with auditory 40 Hz steady-state responses
T. Yamasaki, Y. Goto, T. Taniwaki, N. Kinukawa, J.-i. Kira, S. Tobimatsu (Japan) 393
Sound-evoked neurogenic responses with short latency of vestibular origin
T. Murofushi, S. Iwasaki, Y. Takai, H. Takegoshi (Japan) 401
General vestibular testing
T. Brandt, M. Strupp (Germany) 406

A system to detect the onset of epileptic seizures in scalp EEG
M.E. Saab, J. Gotman (Canada) 427
A method to identify reproducible subsets of co-activated structures during interictal spikes. Application to intracerebral EEG in temporal lobe epilepsy
J. Bourien, F. Bartolomei, J.J. Bellanger, M. Gavaret, P. Chauvel, F. Wendling (France) 443
Estimation of in vivo human brain-to-skull conductivity ratio from simultaneous extra- and intra-cranial electrical potential recordings
Y. Lai, W. van Drongelen, L. Ding, K.E. Hecox, V.L. Towle, D.M. Frim, B. He (USA) 456
Intraoperative facial motor evoked potential monitoring with transcranial electrical stimulation during skull base surgery
C.C.J. Dong, D.B. MacDonald, R. Akagami, B. Westerberg, A. AlKhani, I. Kanaan, M. Hassounah (Canada, Saudi Arabia) 588
Orderly activation of human motor neurons using electrical ramp prepulses
K. Hennings, L. Arendt-Nielsen, O.K. Andersen (Denmark) 597
Comparison between short train, monophasic and biphasic repetitive transcranial magnetic stimulation (rTMS) of the human motor cortex
N. Arai, S. Okabe, T. Furubayashi, Y. Terao, K. Yuasa, Y. Ugawa (Japan) 605
Steady state visual evoked potential abnormalities in schizophrenia
G.P. Krishnan, J.L. Vohs, W.P. Hetrick, C.A. Carroll, A. Shekhar, M.A. Bockbrader, B.F. O'Donnell (USA) 614
Progression of P300 in a patient with bilateral hippocampal lesions
M. Fushimi, N. Matsubuchi, A. Sekine (Japan) 625
Neural substrates of visual perceptual learning of simple and complex stimuli
Y. Song, Y. Ding, S. Fan, Z. Qu, L. Xu, C. Lu, D. Peng (China) 632
Attention-deficit/hyperactivity disorder: cognitive evoked potential (P300) amplitude predicts treatment response to atomoxetine
R.B. Sangal, J.M. Sangal (USA) 640
Developmental changes in refractoriness of the cortical auditory evoked potential
P.M. Gilley, A. Sharma, M. Dorman, K. Martin (USA) 648
Human auditory steady state responses to binaural and monaural beats
D.W.F. Schwarz, P. Taylor (Canada) 658
Auditory temporal processes in normal-hearing individuals and in patients with auditory neuropathy
H.J. Michalewski, A. Starr, T.T. Nguyen, Y.-Y. Kong, F.-G. Zeng (USA) 669
The P50 midlatency auditory evoked potential in patients with chronic low back pain (CLBP)
A.V. Fann, M.A. Preston, P. Bray, N. Mamiya, D.K. Williams, R.D. Skinner, E. Garcia-Rill (USA) 681
The evolutionary change of flash visual evoked potentials in preterm infants with periventricular leukomalacia
T. Kato, A. Okumura, F. Hayakawa, K. Kuno, K. Watanabe (Japan) 690
Inter-rater reliability of sleep cyclic alternating pattern (CAP) scoring and validation of a new computer-assisted CAP scoring method
R. Ferri, O. Bruni, S. Miano, A. Smerieri, K. Spruyt, M.G. Terzano (Italy, Belgium) 696
Disturbed fluctuations of resting state EEG synchronization in Alzheimer's disease
C.J. Stam, T. Montez, B.F. Jones, S.A.R.B. Rombouts, Y. van der Made, Y.A.L. Pijnenburg, Ph. Scheltens (The Netherlands, Portugal) 708
Electrical stimulation in epilepsy (Editorial)
G. Alarcón (UK) 716
Electrical brain-stimulation paradigm for estimating the seizure onset site and the time to ictal transition in temporal lobe epilepsy
S. Kalitzin, D. Velis, P. Suffczynski, J. Parra, F.L. da Silva (The Netherlands) 718
EEG filtering based on blind source separation (BSS) for early detection of Alzheimer's disease
A. Cichocki, S.L. Shishkin, T. Musha, Z. Leonowicz, T. Asada, T. Kurachi (Japan, Poland) 729
Subthreshold rTMS over pre-motor cortex has no effect on tics in patients with Gilles de la Tourette syndrome
M. Orth, R. Kirby, M.P. Richardson, A.H. Snijders, J.C. Rothwell, M.R. Trimble, M.M. Robertson, A. Münchau (UK) 764
Paradoxical modulation of tendon tap reflex during voluntary contraction in Parkinson's disease
H. Morita, M. Shindo, S.-i. Ikeda (Japan) 769
Transcranial magnetic stimulation of deep brain regions: evidence for efficacy of the H-Coil
A. Zangen, Y. Roth, B. Voller, M. Hallett (Israel, USA) 775
The speed of sit-to-stand can be modulated in Parkinson's disease
M.K.Y. Mak, C.W.Y. Hui-Chan (China) 780
Lateralization of pupillary light reflex parameters
K.-J. Bär, M.K. Boettger, S. Till, J. Dolicek, H. Sauer (Germany) 790
Evaluation of commercially available electrodes and gels for recording of slow EEG potentials
P. Tallgren, S. Vanhatalo, K. Kaila, J. Voipio (Finland) 799
Modulations of the visual N1 component of event-related potentials by central and peripheral cueing
S. Doallo, L. Lorenzo-López, C. Vizoso, S.R. Holguín, E. Amenedo, S. Bará, F. Cadaveira (Spain) 807
Laser-evoked potentials: normative values
A. Truini, F. Galeotti, A. Romaniello, M. Virtuoso, G.D. Iannetti, G. Cruccu (Italy, UK) 821
Origins of the somatic N20 and high-frequency oscillations evoked by trigeminal stimulation in the piglets
H. Ikeda, Y. Wang, Y.C. Okada (USA, Japan) 827

Contralateral and ipsilateral responses in primary somatosensory cortex following electrical median nerve stimulation—an fMRI study
T. Nihashi, S. Naganawa, C. Sato, H. Kawai, T. Nakamura, H. Fukatsu, T. Ishigaki, I. Aoki (Japan) 842
Proprioceptive event related potentials: gating and task effects
S.M. Arnfred (Denmark) 849
Gamma rhythms are not integral to EEG spindle phenomena
L. Mackenzie, K.J. Pope, J.O. Willoughby (Australia) 861
Progressive aging does not alter the interaction between autonomic cardiac activity and delta EEG power
F. Jurysta, P. van de Borne, J.-P. Lanquart, P.-F. Migeotte, J.-P. Degaute, M. Dumont, P. Linkowski (Belgium) 871
Effects of eyelid closure, blinks, and eye movements on the electroencephalogram
M. Iwasaki, C. Kellinghaus, A.V. Alexopoulos, R.C. Burgess, A.N. Kumar, Y.H. Han, H.O. Lüders, R.J. Leigh (USA, Germany) 878
Anterior limbic alpha-like activity: a low resolution electromagnetic tomography study with lorazepam challenge
B.J. Connemann, K. Mann, C. Lange-Asschenfeldt, M. Ruchsow, M. Schreckenberger, P. Bartenstein, G. Gründer (Germany) 886
FVEPs in Creutzfeldt–Jacob disease: waveforms and interaction with the periodic EEG pattern assessed by single sweep analysis
E. Visani, P. Agazzi, V. Scaioli, G. Giaccone, S. Binelli, L. Canafoglia, F. Panzica, F. Tagliavini, O. Bugiani, G. Avanzini, S. Franceschetti (Italy) 895
Comparison of clonidine to sleep deprivation in the potential to induce spike or sharp-wave activity
B. Kettenmann, M. Feichtinger, C. Tilz, M. Kaltenhäuser, C. Hummel, H. Stefan (Germany) 905
Independent component analysis of generalized spike-and-wave discharges: primary versus secondary bilateral synchrony
K.-Y. Jung, J.-M. Kim, D.W. Kim, C.-S. Chung (South Korea) 913
Assessing cortical functional connectivity by linear inverse estimation and directed transfer function: simulations and application to real data
L. Astolfi, F. Cincotti, D. Mattia, C. Babiloni, F. Carducci, A. Basilisco, P.M. Rossini, S. Salinari, L. Ding, Y. Ni, B. He, F. Babiloni (Italy, USA) 920
Detection of EEG background abnormalities in epilepsy by a new spectral index
C.M. Temuçin, A.B. Tokçaer, E. Bilir (Turkey) 933
Evaluation of the complexity of motor unit potentials in anal sphincter electromyography
S. Podnar, E. Zalewska, I. Hausmanowa-Petrusewicz (Slovenia, Poland) 948
The SIIR index—a non-linear combination of waveform size and irregularity parameters for classification of motor unit potentials
E. Zalewska, I. Hausmanowa-Petrusewicz (Poland) 957
Electrophysiological features of patients with POEMS syndrome
J.-H. Min, Y.-H. Hong, K.-W. Lee (South Korea) 965
A reappraisal of various methods for measuring motor nerve refractory period in humans
D. Boërio, J.-Y. Hogrel, A. Créange, J.-P. Lefaucheur (France) 969
Age and gender effects in EEG coherence: II. Boys with attention deficit/hyperactivity disorder
R.J. Barry, A.R. Clarke, R. McCarthy, M. Selikowitz, S.J. Johnstone, C.-I. Hsu, D. Bond, M.J. Wallace, C.A. Magee (Australia) 977
Lack of asymmetrical transfer for linguistic stimuli in schizophrenia: an ERP study
K.J. Barnett, I.J. Kirk (New Zealand) 1019
Acute isovolemic anemia impairs central processing as determined by P300 latency
R.B. Weiskopf, P. Toy, H.W. Hopf, J. Feiner, H.E. Finlay, M. Takahashi, A. Bostrom, C. Songster, M.J. Aminoff (USA) 1028
Examining the diagnostic utility of EEG power measures in children with attention deficit/hyperactivity disorder
C.A. Magee, A.R. Clarke, R.J. Barry, R. McCarthy, M. Selikowitz (Australia) 1033
Lateralization of cerebral hemodynamics during Wisconsin Card Sorting Test: a functional transcranial Doppler sonography study
D. Schuepbach, D. Hell, R.W. Baumgartner (Switzerland) 1041
Spatial-anatomical mapping of NoGo-P3 in the offspring of alcoholics: evidence of cognitive and neural disinhibition as a risk for alcoholism
C. Kamarajan, B. Porjesz, K.A. Jones, D.B. Chorlian, A. Padmanabhapillai, M. Rangaswamy, A.T. Stimus, H. Begleiter (USA) 1049
Repetitive transcranial magnetic stimulation (rTMS) at high and low frequency: an efficacious therapy for major drug-resistant depression?
C. Miniussi, C. Bonato, S. Bignotti, A. Gazzoli, M. Gennarelli, P. Pasqualetti, G.B. Tura, M. Ventriglia, P.M. Rossini (Italy) 1062
Short-lasting impairment of temperature perception by high frequency rTMS of the sensorimotor cortex
A. Oliviero, M.R. Esteban, F.S. de la Cruz, L.F. Cabredo, V. Di Lazzaro (Spain, Italy) 1072
Attention induces reciprocal activity in the human somatosensory cortex enhancing relevant- and suppressing irrelevant inputs from fingers
Y. Iguchi, Y. Hoshi, M. Tanosaki, M. Taira, I. Hashimoto (Japan) 1077
Coherence of the electroencephalogram during the first sleep cycle
R.B. Duckrow, H.P. Zaveri (USA) 1088
Cardiovascular variability during periodic leg movements: a spectral analysis approach
E. Sforza, V. Pichot, J.C. Barthelemy, J. Haba-Rubio, F. Roche (Switzerland, France) 1096
Cortical excitability during prolonged antiepileptic drug treatment and drug withdrawal
H.W. Lee, H.J. Seo, L.G. Cohen, A. Bagic, W.H. Theodore (USA, South Korea) 1105

Hidden focal EEG seizures during prolonged suppressions and high-amplitude bursts in early infantile epileptic encephalopathy
A. Al-Futaisi, B. Banwell, A. Ochi, J. Hew, B. Chu, M. Oishi, H. Otsubo (Canada) 1113
Origin, structure, and role of background EEG activity. Part 3. Neural frame classification
W.J. Freeman (USA) 1118
Geodesic photogrammetry for localizing sensor positions in dense-array EEG
G.S. Russell, K.J. Eriksen, P. Poolman, P. Luu, D.M. Tucker (USA) 1130
Evaluation of the distortion of EEG signals caused by a hole in the skull mimicking the fontanel in the skull of human neonates
L. Flemming, Y. Wang, A. Caprihan, M. Eiselt, J. Haueisen, Y. Okada (USA, Germany) 1141
Differences in potentials and excitability properties in simulated cases of demyelinating neuropathies. Part I
D.I. Stephanova, M. Daskalova, A.S. Alexandrov (Bulgaria) 1153
Differences in potentials and excitability properties in simulated cases of demyelinating neuropathies. Part II. Paranodal demyelination
D.I. Stephanova, M. Daskalova (Bulgaria) 1159
MG and LEMS overlap syndrome: case report with electrophysiological and immunological evidence
S.J. Oh, E. Sher (USA, UK) 1167
Decrement of the skin conductance response to repeated volitional inspiration
M. Seto-Poon, M. Madronio, J.P. Kirkness, T.C. Amis, K. Byth, C.L. Lim (Australia) 1172
Axonal potassium conductance and glycemic control in human diabetic nerves
S. Misawa, S. Kuwabara, K. Kanai, N. Tamura, A. Hiraga, M. Nakata, K. Ogawara, T. Hattori (Japan) 1181
Variability in spatial normalization of pediatric and adult brain images
M.R. Hoeksma, J.L. Kenemans, C. Kemner, H. van Engeland (The Netherlands) 1188
Effect of spatial attention on human sensorimotor integration studied by transcranial magnetic stimulation
M.A. Kotb, T. Mima, Y. Ueki, T. Begum, A.T. Khafagi, H. Fukuyama, T. Nagamine (Japan, Egypt) 1195
Temporal activation pattern of parietal and premotor areas related to praxis movements
L.A. Wheaton, H. Shibasaki, M. Hallett (USA) 1201
Asymmetric spatiotemporal patterns of event-related desynchronization preceding voluntary sequential finger movements: a high-resolution EEG study
O. Bai, Z. Mari, S. Vorbach, M. Hallett (USA) 1213
Periodic motor cortical excitability changes associated with PSDs of EEG in Creutzfeldt–Jakob disease (CJD)
K. Sakuishi, R. Hanajima, I. Kanazawa, Y. Ugawa (Japan) 1222
Temporal excitation properties of paresthesias evoked by thalamic microstimulation
W.M. Grill, A.M. Simmons, S.E. Cooper, S. Miocinovic, E.B. Montgomery, K.B. Baker, A.R. Rezai (USA) 1227
Electrophysiological and speech perception measures of auditory processing in experienced adult cochlear implant users
A.S. Kelly, S.C. Purdy, P.R. Thorne (New Zealand) 1235
Face representation in the human secondary somatosensory cortex
B.T. Nguyen, K. Inui, M. Hoshiyama, H. Nakata, R. Kakigi (Japan) 1247
Lack of habituation of nociceptive evoked responses and pain sensitivity during migraine attack
M. de Tommaso, L. Lo sito, O. Di fruscolo, M. Sardaro, M.P. Prudenzano, P. Lamberti, P. Livrea (Bari) 1254
Spectral analysis of sleep EEG in patients with restless legs syndrome
M. Hornyak, B. Feige, U. Voderholzer, D. Riemann (Germany) 1265
Sympathetic and parasympathetic activities evaluated by heart-rate variability in head injury of various severities
C.-F. Su, T.B. Kuo, J.-S. Kuo, H.-Y. Lai, H.I. Chen (Taiwan, ROC) 1273
Decreased vasoreactivity to right cerebral hemisphere pressure in migraine without aura: a near-infrared spectroscopy study
N. Shinoura, R. Yamada (Japan) 1280
Head-down manoeuvre in patients with a high symptom score for orthostatic intolerance reveals impaired right brain frontal lobe vasoreactivity
N. Shinoura, R. Yamada (Japan) 1286
Electric cortical stimulation suppresses epileptic and background activities in neocortical epilepsy and mesial temporal lobe epilepsy
M. Kinoshita, A. Ikeda, M. Matsuhashi, R. Matsumoto, T. Hitomi, T. Begum, K. Usui, M. Takayama, N. Mikuni, S. Miyamoto, N. Hashimoto, H. Shibasaki (Japan) 1291
Assessing interactions of linear and nonlinear neuronal sources using MEG beamformers: a proof of concept
A. Hadjipapas, A. Hillebrand, I.E. Holliday, K.D. Singh, G.R. Barnes (UK) 1300
Decomposing ERP time–frequency energy using PCA
E.M. Bernat, W.J. Williams, W.J. Gehring (USA) 1314
Cutaneous silent periods of the vastus medialis evoked by the stimulation of lateral femoral cutaneous nerve
C. Tataroglu, B. Uludag, N. Karapinar, F. Bademkiran, C. Ertekin (Turkey) 1335
The effect of contraction intensity on motor unit number estimates of the tibialis anterior
C.J. McNeil, T.J. Doherty, D.W. Stashuk, C.L. Rice (Canada) 1342
Changes in the sympathetic skin response after thoracoscopic sympathectomy in patients with primary palmar hyperhidrosis
A. Lladó, L. León, J. Valls-Solé, P. Mena, M.A. Callejas, J.M. Peri (Spain) 1348

Shortening of distal motor latency in anode distal stimulation
T. Yasunami, Y. Miyawaki, K. Kitano, H. Okuno (Japan) 1355
Attenuation of the effect of remote muscle contraction on the soleus H-reflex during plantar flexion
T. Tazoe, T. Kida, T. Wasaka, M. Sakamoto, T. Nakajima, Y. Nishihira, T. Komiyama (Japan) 1362
Reflex contribution of spindle group Ia and II afferent input to leg muscle spasticity as revealed by tendon vibration in hemiparesis
A. Nardone, M. Schieppati (Italy) 1370
Synchronization of parietal and premotor areas during preparation and execution of praxis hand movements
L.A. Wheaton, G. Nolte, S. Bohlhalter, E. Fridman, M. Hallett (USA, Argentina) 1382
The impact of ventrolateral thalamotomy on high-frequency components of tremor
C. Duval, A.P. Strafella, A.F. Sadikot (Canada) 1391
Reliability of the soleus H-reflex from supine to standing in young and elderly
R.G. Mynark (USA) 1400
Preserved and impaired aspects of predictive grip force control in cerebellar patients
K. Rost, D.A. Nowak, D. Timmann, J. Hermsdörfer (Germany) 1405
Effects of masticatory muscle fatigue without and with experimental pain on jaw-stretch reflexes in healthy men and women
M.K.A. van Selms, K. Wang, F. Lobbezoo, P. Svensson, L. Arendt-Nielsen, M. Naeije (The Netherlands, Denmark) 1415
Borderline personality disorder features in adolescent girls: P300 evidence of altered brain maturation
R.J. Houston, N.A. Ceballos, V.M. Hesselbrock, L.O. Bauer (USA) 1424
Differential conditioning of alpha amplitude: A fresh look at an old phenomenon
J.B. Harris (Australia) 1433
Neural mechanisms of global/local processing of bilateral visual inputs: an ERP study
Y. Jiang, S. Han (People's Republic of China) 1444
Sex differences in adolescent ADHD: findings from concurrent EEG and EDA
D.F. Hermens, M.R. Kohn, S.D. Clarke, E. Gordon, L.M. Williams (Australia) 1455
Differences in behavioural phenotype between parental deletion and maternal uniparental disomy in Prader–Willi syndrome: an ERP study
J.E.A. Stauder, H. Boer, R.H.A. Gerits, A. Tummers, J. Whittington, L.M.G. Curfs (The Netherlands, UK) 1464
Effects of simulated high altitude on event-related potential (P300) and auditory brain-stem responses
R. Hayashi, Y. Matsuzawa, K. Kubo, T. Kobayashi (Japan) 1471
Marked differences in the thermal characteristics of figure-of-eight shaped coils used for repetitive transcranial magnetic stimulation
T. Weyh, K. Wendicke, C. Mentschel, H. Zantow, H.R. Siebner (Germany) 1477
Inverse association between Slow Wave Activity per cycle and the number of ultradian sleep cycles per night in healthy humans
O. Le Bon, S. Chabanski, M. Dramaix, L. Staner, I. Pelc, P. Linkowski (Belgium, France) 1493
Infraslow EEG activity in burst periods from post asphyctic full term neonates
M. Thordstein, N. Löfgren, A. Flisberg, R. Bågenholm, K. Lindecrantz, I. Kjellmer (Sweden) 1501
Brain dysfunction in uremia: a question of cortical hyperexcitability?
F. Battaglia, A. Quartarone, S. Bagnato, V. Rizzo, F. Morgante, F. Floccari, A. Romeo, A. Sant'Angelo, G. Grasso, P. Girlanda, M. Buemi (USA, Italy) 1507
Movement preparation is affected by tissue damage in multiple sclerosis: Evidence from EEG event-related desynchronization
L. Leocani, M. Rovaris, F. Martinelli-Boneschi, P. Annovazzi, M. Filippi, B. Colombo, V. Martinelli, G. Comi (Italy) 1515
The relationship between ictal activity and sleep stages in the newborn EEG
K.M.R.S. Schmutzler, M.L. Nunes, J.C. da Costa (Brazil) 1520
An evaluation of automated neonatal seizure detection methods
S. Faul, G. Boylan, S. Connolly, L. Marnane, G. Lightbody (Ireland) 1533
Excitability of facial nucleus and related brain-stem reflexes in hemifacial spasm, post-facial palsy synkinesis and facial myokymia
A.E. Öge, V. Yayla, G.A. Demir, M. Eraksoy (Turkey) 1542
Normal values for single fiber EMG parameters of frontalis muscle in healthy subjects older than 70 years
K. Balci, N. Turgut, G. Nurlu (Turkey) 1555
Experimental muscle pain decreases voluntary EMG activity but does not affect the muscle potential evoked by transcutaneous electrical stimulation
D. Farina, L. Arendt-Nielsen, T. Graven-Nielsen (Denmark) 1558
Electrophysiological signs of changes in motor units after ischaemic stroke
M. Lukács (Hungary) 1566
Pathophysiology inferred from electrodiagnostic nerve tests and classification of polyneuropathies. Suggested guidelines
H. Tankisi, K. Pugdahl, A. Fuglsang-Frederiksen, B. Johnsen, M. de Carvalho, P.R.W. Fawcett, A. Labarre-Vila, R. Liguori, W.A. Nix, I.S. Schofield (Denmark, Portugal, UK, France, Italy, Germany) 1571
Effect of amplifier gain setting on distal motor latency in normal subjects and CTS patients
A.R. Goldfarb, P.B. Saadeh, H.W. Sander (USA) 1581
Motor unit synchronization between medial and lateral vasti muscles
R. Mellor, P. Hodges (Australia) 1585

Interest of peripheral anesthetic blocks as a diagnosis and prognosis tool in patients with spastic equinus foot: A clinical and electrophysiological study of the effects of block of nerve branches to the triceps surae muscle
K. Buffenoir, P. Decq, J.-P. Lefaucheur (France) 1596
Functional magnetic resonance imaging and transcranial magnetic stimulation: Effects of motor imagery, movement and coil orientation
D.M. Niyazov, A.J. Butler, Y.M. Kadah, C.M. Epstein, X.P. Hu (USA) 1601
Effect of experimental posterior temporalis muscle pain on human brainstem reflexes
A. Peddireddy, K. Wang, P. Svensson, L. Arendt-Nielsen (Denmark) 1611
Motor cortex excitability after thalamic infarction
J. Liepert, C. Restemeyer, A. Münchau, C. Weiller (Germany) 1621
Repetitive spinal motor neuron discharges following single transcranial magnetic stimuli: a quantitative study
W.J. Z'Graggen, A.M. Humm, N. Durisch, M.R. Magistris, K.M. Rösler (Switzerland) 1628
Gravitational artifact in accelerometric measurements of tremor
R.J. Elble (USA) 1638
Cortical generators of slow evoked responses elicited by spatial and nonspatial auditory working memory tasks
I. Anurova, D. Artchakov, A. Korvenoja, R.J. Ilmoniemi, H.J. Aronen, S. Carlson (Finland) 1644
Delayed automatic detection of change in speech sounds in adults with autism: A magnetoencephalographic study
K. Kasai, O. Hashimoto, Y. Kawakubo, M. Yumoto, S. Kamio, K. Itoh, I. Koshida, A. Iwanami, K. Nakagome, M. Fukuda, H. Yamasue, H. Yamada, O. Abe, S. Aoki, N. Kato (Japan) 1655
Assessment of working memory abilities using an event-related brain potential (ERP)-compatible digit span backward task
C.D. Lefebvre, Y. Marchand, G.A. Eskes, J.F. Connolly (Canada) 1665
Long-term stability and consistency of EEG event-related (de-)synchronization across different cognitive tasks
C. Neuper, R.H. Grabner, A. Fink, A.C. Neubauer (Austria) 1681
The development of the length of the temporal window of integration for rapidly presented auditory information as indexed by MMN
W. Wang, H. Datta, E. Sussman (USA) 1695
Independent effects of simultaneous inputs from the saccule and lateral semicircular canal. Evaluation using VEMPs
S. Karino, K. Ito, A. Ochiai, T. Murofushi (Japan) 1707
Distinct contrast response functions in striate and extra-striate regions of visual cortex revealed with magnetoencephalography (MEG)
S.D. Hall, I.E. Holliday, A. Hillebrand, P.L. Furlong, K.D. Singh, G.R. Barnes (UK) 1716
Simulated nystagmus reduces pattern-reversal more strongly than pattern-onset multifocal visual evoked potentials
M.B. Hoffmann, P.S. Seufert (Germany) 1723
Physical interactions between induced electrical fields can have substantial effects on neuronal excitation during simultaneous TMS of two brain areas
M. Cincotta, A. Borgheresi, P. Jung, F. Balestrieri, F. Giovannelli, G. Zaccara, U. Ziemann (Italy, Germany) 1733
Atypical EEG findings in subacute sclerosing panencephalitis
Ö. Ekmekci, H. Karasoy, A. Gökçay, A. Ülkü (Turkey) 1762
Occipital intermittent rhythmic delta activity only following eye closure in atypical CNS *Salmonellosis*
S. Buoni, R. Zannolli, R.M. Di Bartolo, F. Macucci, L. Migliorini, R. Sansoni, C. Cellesi (Italy) 1768
Scalp electrode placement by EC2® adhesive paste in long-term video-EEG monitoring
C. Falco, F. Sebastiano, L. Cacciola, F. Orabona, R. Ponticelli, P. Stirpe, G. Di Gennaro (Italy) 1771
Increase of brain-stem high-frequency SEP subcomponents during light sleep in seizure-free epileptic patients
D. Restuccia, M. Rubino, M. Valeriani, G.D. Marca (Italy) 1774
Hippocampal-orbitofrontal connectivity in human: An electrical stimulation study
H. Catenoix, M. Magnin, M. Guénot, J. Isnard, F. Mauguière, P. Ryvlin (France) 1779
A neural network method for automatic and incremental learning applied to patient-dependent seizure detection
S.B. Wilson (USA) 1785
EEG nonstationarity during intracranially recorded seizures: statistical and dynamical analysis
T. Dikanev, D. Smirnov, R. Wennberg, J.L.P. Velazquez, B. Bezruchko (Russia, Canada) 1796
Optimizing principal components analysis of event-related potentials: Matrix type, factor loading weighting, extraction, and rotations
J. Dien, D.J. Beal, P. Berg (USA, Germany) 1808
Analysis of regularity in the EEG background activity of Alzheimer's disease patients with Approximate Entropy
D. Abásolo, R. Hornero, P. Espino, J. Poza, C.I. Sánchez, R. de la Rosa (Spain) 1826
The origin of spontaneous discharges in acquired neuromyotonia. A Macro EMG study
K. Arimura, Y. Arimura, A. Ng, A. Uehara, M. Nakae, M. Osame, E. Stålberg (Japan, Sweden) 1835
Comparison of different outlier criteria in quantitative anal sphincter electromyography
S. Podnar (Slovenia) 1840
Atypical shoulder muscle activation in multidirectional instability
J.M. Barden, R. Balyk, V.J. Raso, M. Moreau, K. Bagnall (Canada) 1846
Tibial somatosensory evoked potential intraoperative monitoring: Recommendations based on signal to noise ratio analysis of popliteal fossa, optimized P37, standard P37, and P31 potentials
D.B. MacDonald, Z. Al Zayed, B. Stigsby (Saudi Arabia) 1858

Reliability of elbow stretch reflex assessment in chronic post-stroke hemiparesis
E.G. Condliffe, D.J. Clark, C. Patten (USA) 1870
Lateralization of event-related beta desynchronization in the EEG during pre-cued reaction time tasks
L.M.F. Doyle, K. Yarrow, P. Brown (UK) 1879
The ipsilateral silent period in boys with attention-deficit/hyperactivity disorder
M.A. Garvey, C.A. Barker, J.J. Bartko, M.B. Denckla, E.M. Wassermann, F.X. Castellanos, M.L. Dell, U. Ziemann
(USA, Germany) 1889
Test–retest stability of the magnetic mismatch response (MMNm)
M. Tervaniemi, J. Sinkkonen, J. Virtanen, J. Kallio, R.J. Ilmoniemi, O. Salonen, R. Näätänen (Finland, Germany) 1897
Learning to react: anticipatory mechanisms in children and adults during a visuospatial attention task
C. Perchet, L. Garcia-Larrea (France) 1906
Auditory brain-stem, middle- and long-latency evoked potentials in mild cognitive impairment
R. Irimajiri, E.J. Golob, A. Starr (USA) 1918
Mismatch responses related to temporal discrimination of somatosensory stimulation
K. Akatsuka, T. Wasaka, H. Nakata, K. Inui, M. Hoshiyama, R. Kakigi (Japan) 1930
Vestibular-evoked extraocular potentials produced by stimulation with bone-conducted sound
S.M. Rosengren, N.P. McAngus Todd, J.G. Colebatch (Australia, UK) 1938
Development of auditory evoked fields in human fetuses and newborns: A longitudinal MEG study
M. Holst, H. Eswaran, C. Lowery, P. Murphy, J. Norton, H. Preissl (USA, Germany) 1949
Time-varying differences in evoked potentials elicited by high versus low spatial frequencies: a topographical and source analysis
M.A. Boeschoten, C. Kemner, J.L. Kenemans, H. van Engeland (The Netherlands) 1956
Sensory gating in the human hippocampal and rhinal regions
N.N. Boutros, P. Trautner, T. Rosburg, O. Korzyukov, T. Grunwald, C. Schaller, C.E. Elger, M. Kurthen
(USA, Germany, Switzerland) 1967
Multifocal visual evoked potentials—a method study of responses from small sectors of the visual field
M. Bengtsson, S. Andréasson, G. Andersson (Sweden) 1975
Locating chronically implanted subdural electrodes using surface reconstruction
J.D. Hunter, D.M. Hanan, B.F. Singer, S. Shaikh, K.A. Brubaker, K.E. Hecox, V.L. Towle (USA) 1984
Scalp position and efficacy of transcranial magnetic stimulation
S. Knecht, J. Sommer, M. Deppe, O. Steinsträter (Germany) 1988
Increase in 20–50 Hz (gamma frequencies) power spectrum and synchronization after chronic vagal nerve stimulation
F. Marrosu, F. Santoni, M. Puligheddu, L. Barberini, A. Maleci, F. Ennas, M. Mascia, G. Zanetti, A. Tuveri, G. Biggio (Italy) 2026
On the estimation of the number of dipole sources in EEG source localization
X. Bai, B. He (USA) 2037
Correction of muscle artefacts in the EEG power spectrum
T. Gasser, J.C. Schuller, U. Schreiter Gasser (Switzerland) 2044
Diagnostic relevance of transcranial magnetic and electric stimulation of the facial nerve in the management of facial palsy
D.A. Nowak, S. Linder, H. Topka (Germany) 2051
Correlation between a patient-derived functional questionnaire and abnormal neuromuscular transmission in Myasthenia Gravis patients
A. Rostedt, L. Padua, E.V. Stålberg (Sweden, Italy) 2058
MuSK-antibody positive myasthenia gravis: Clinical and electrodiagnostic patterns
D.E. Stickler, J.M. Massey, D.B. Sanders (USA) 2065
Relation of EEG spectrum progression to loss of responsiveness during induction of anesthesia with propofol
M. Koskinen, S. Mustola, T. Seppänen (Finland) 2069
Neither simple nor sequential arm movements are bradykinetic in parkinsonian patients with peak-dose dyskinesias
R. Agostino, S. Bagnato, L. Dinapoli, N. Modugno, A. Berardelli (Italy) 2077
Independent control of voluntary movements and associated anticipatory postural responses in a bimanual task
J.L. Taylor (Australia) 2083
Abnormal head nociceptive withdrawal reaction to facial nociceptive stimuli in Parkinson's disease
A. Perrotta, M. Serrao, M. Bartolo, L. Valletta, N. Locuratolo, F. Pujia, F. Fattapposta, P. Bramanti, G.A. Amabile, F. Pierelli,
L. Parisi (Italy) 2091
Normative data on changes in transcranial magnetic stimulation measures over a ten hour period
L. Koski, L.M. Schrader, A.D. Wu, J.M. Stern (USA) 2099
When the orbicularis oculi response to a startling stimulus is zero, the vertical EOG may reveal that a blink has occurred
A.M. Waters, E.M. Ornitz (Australia, USA) 2110
Local coherence oscillations in the EEG during development in the fetal baboon
J.R. Isler, M. Garland, R.I. Stark, P.G. Grieve (USA) 2121
EEG and intelligence: Relations between EEG coherence, EEG phase delay and power
R.W. Thatcher, D. North, C. Biver (USA) 2129

"...and were instructed to read a self-selected book while ignoring the auditory stimuli": The effects of task demands on the mismatch negativity
A. Muller-Gass, R.M. Stelmack, K.B. Campbell (Canada) 2142
Effects of age and spectral shaping on perception and neural representation of stop consonant stimuli
A.W. Harkrider, P.N. Plyler, M.S. Hedrick (USA) 2153
Involuntary orientation of attention to unattended deviant nociceptive stimuli is modulated by concomitant visual task difficulty. Evidence from laser evoked potentials
V. Legrain, R. Bruyer, J.-M. Guérit, L. Plaghki (Belgium) 2165
P3 amplitude and time-on-task effects in distractible adolescents
S. Määttä, E. Herrgård, P. Saavalainen, A. Pääkkönen, M. Könönen, L. Luoma, E. Laukkanen, H. Yppärilä, J. Partanen (Finland) 2175
Auditory and visual refractory period effects in children and adults: An ERP study
D. Coch, W. Skendzel, H.J. Neville (USA) 2184
Impairments in generation of early-stage transient visual evoked potentials to magno- and parvocellular-selective stimuli in schizophrenia
I. Schechter, P.D. Butler, V.M. Zemon, N. Revheim, A.M. Saperstein, M. Jalbrzikowski, R. Pasternak, G. Silipo, D.C. Javitt (USA) 2204
Normative data for P1/N1-latencies of vestibular evoked myogenic potentials induced by air- or bone-conducted tone bursts
D. Basta, I. Todt, A. Ernst (Germany) 2216
Evaluating the effects of spatial frequency on migraines by using pattern-reversal visual evoked potentials
K. Shibata, K. Yamane, M. Iwata, S. Ohkawa (Japan) 2220
Reorganziation of sleep patterns in severe OSAS under prolonged CPAP treatment
L. Parrino, R.J. Thomas, A. Smerieri, M.C. Spaggiari, A. Del Felice, M.G. Terzano (Italy, USA) 2228
Model-based analysis of cortical recording with silicon microelectrodes
M.A. Moffitt, C.C. McIntyre (USA) 2240
A computationally efficient method for accurately solving the EEG forward problem in a finely discretized head model
L.A. Neilson, M. Kovalyov, Z.J. Koles (Canada) 2302
Diffusion tensor imaging and tractography of distal peripheral nerves at 3 T
J. Hiltunen, T. Suortti, S. Arvela, M. Seppä, R. Joensuu, R. Hari (Finland) 2315
Symptoms of thoracic outlet syndrome in women with carpal tunnel syndrome
P. Seror (France) 2324
Superficial radial sensory nerve potentials in immune-mediated and diabetic neuropathies
N. Tamura, S. Kuwabara, S. Misawa, M. Mori, M. Nakata, T. Hattori (Japan) 2330
Differences in potentials and excitability properties in simulated cases of demyelinating neuropathies. Part III. Paranodal internodal demyelination
D.I. Stephanova, M. Daskalova (Bulgaria) 2334
Spinal motor neuron excitability in newborns following fetal distress: sub-clinical depression revealed by soleus H-reflex
S. Kumar, N.R. Dereddy, B.D. Bhatia, U. Prakash (India) 2342
Bell's palsy-induced blepharospasm relieved by passive eyelid closure and responsive to apomorphine
L. Cattaneo, E. Chierici, G. Pavesi (Italy) 2348
Neurophysiological correlates of subjective significance
E. Ofek, H. Pratt (Israel) 2354
Separation of the components of the late positive complex in an ERP dishabituation paradigm
J.A. Rushby, R.J. Barry, R.J. Doherty (Australia) 2363
Reproducibility of measures of neurophysiological activity in Wernicke's area: A magnetic source imaging study
P.G. Simos, S. Sarkari, E.M. Castillo, R.L. Billingsley-Marshall, E. Pataraia, T. Clear, A.C. Papanicolaou (Greece, USA) 2381
Functional characterization of mismatch negativity to a visual stimulus
T. Maekawa, Y. Goto, N. Kinukawa, T. Taniwaki, S. Kanba, S. Tobimatsu (Japan) 2392
Evoked phase synchronization between adjacent high-density electrodes in human scalp EEG: Duration and time course related to behavior
A.R. Nikolaev, P. Gong, C. van Leeuwen (Japan, Russia, UK) 2403
Effects of temporary bilateral ligation of the internal carotid arteries on the low- and high-frequency somatic evoked potentials in the swine
Y. Wang, G. Hosler, T. Zhang, Y. Okada (USA) 2420
All-night EEG power spectral analysis of the cyclic alternating pattern components in young adult subjects
R. Ferri, O. Bruni, S. Miano, G. Plazzi, M.G. Terzano (Italy) 2429
Information processing in severe disorders of consciousness: Vegetative state and minimally conscious state
B. Kotchoubey, S. Lang, G. Mezger, D. Schmalohr, M. Schneck, A. Semmler, V. Bostanov, N. Birbaumer (Germany, Italy) 2441
Emergent EEG is helpful in neurology critical care practice
S. Firosh Khan, R. Ashalatha, S.V. Thomas, P.S. Sarma (India) 2454
An automatic warning system for epileptic seizures recorded on intracerebral EEGs
S. Grewal, J. Gotman (Canada) 2460

Acute alteration of emotional behaviour in epileptic seizures is related to transient desynchrony in emotion-regulation networks
F. Bartolomei, A. Trébuchon, M. Gavaret, J. Régis, F. Wendling, P. Chauvel (France) 2473
Detecting temporal lobe seizures from scalp EEG recordings: A comparison of various features
M.J.A.M. van Putten, T. Kind, F. Visser, V. Lagerburg (The Netherlands) 2480
Tissue and electrode capacitance reduce neural activation volumes during deep brain stimulation
C.R. Butson, C.C. McIntyre (USA) 2490
A lack of effect from transcranial magnetic stimulation (TMS) on the vagus nerve stimulator (VNS)
L.M. Schrader, J.M. Stern, T.A. Fields, M.R. Nuwer, C.L. Wilson (USA) 2501
Atypical motor unit potentials in Emery–Dreifuss muscular dystrophy (EDMD)
K. Rowińska-Marcińska, E. Szmidt-Sałkowska, A. Fidziańska, E. Zalewska, M. Dorobek, A. Karwańska, I. Hausmanowa-Petrusewicz (Poland) 2520
Iliopsoas: A new electromyographic technique and normal motor unit action potential values
E. Katsavrias, E. Primetis, N. Karandreas (Greece) 2528
Continuous motor unit activity syndromes: A video-polysomnographic study
R. Vetrugno, R. Liguori, F. Provini, G. Plazzi, P. Montagna (Italy) 2533
Habituation of sympathetic sudomotor and vasomotor skin responses: neural and non-neural components in healthy subjects
V. Donadio, P. Lenzi, P. Montagna, F. Falzone, A. Baruzzi, R. Liguori (Italy) 2542
Turns amplitude analysis of the orbicularis oculi and oris muscles
M.E. Farrugia, R.P. Kennett (UK) 2550
Aging of phrenic nerve conduction in the elderly
T. Imai, H. Yuasa, Y. Kato, H. Matsumoto (Japan) 2560
Spatial attention triggered by eye gaze enhances and speeds up visual processing in upper and lower visual fields beyond early striate visual processing
A.-M. Schuller, B. Rossion (Belgium) 2565
Electroencephalographic background desynchronization during cerebral blood flow reduction
M. Cursi, M.V. Meraviglia, G.F. Fanelli, R. Chiesa, A. Tirelli, G. Comi, F. Minicucci (Italy) 2577
Triple stimulation technique in patients with spinocerebellar ataxia type 6
K. Sakuma, Y. Adachi, H. Fukuda, T. Kai, K. Nakashima (Japan) 2586
Reduced sensorimotor inhibition in the ipsilesional motor cortex in a patient with chronic stroke of the paramedian thalamus
A. Oliviero, A.M. León, I. Holler, J.F. Vila, H.R. Siebner, G. Della Marca, V. Di Lazzaro, J.T. Álvarez (Spain, Germany, Italy) 2592
Gender difference in masseteric exteroceptive suppression period and pain perception
O. Komiyama, K. Wang, P. Svensson, L. Arendt-Nielsen, A. De Laat (Belgium, Japan, Denmark) 2599
P300 after head injury: Pseudodelay caused by reduced P3A amplitude
J.-W. Elting, J. van der Naalt, T.W. van Weerden, J. De Keyser, N.M. Maurits (The Netherlands) 2606
The face-sensitive N170 and VPP components manifest the same brain processes: The effect of reference electrode site
C. Joyce, B. Rossion (USA, Belgium) 2613
Auditory event related potentials and source current density estimation in phonologic/auditory dyslexics
T. Moisescu-Yiflach, H. Pratt (Israel) 2632
The composite N_1 component to gaps in noise
H. Pratt, N. Bleich, N. Mittelman (Israel) 2648
Short and middle-latency Median Nerve (MN) SEPs recorded by depth electrodes in human pre-SMA and SMA-proper
C. Barba, M. Valeriani, G. Colicchio, F. Mauguière (Italy, France) 2664
NREM sleep alterations in narcolepsy/cataplexy
R. Ferri, S. Miano, O. Bruni, J. Vankova, S. Nevsimalova, S. Vandi, P. Montagna, L. Ferini-Strambi, G. Plazzi (Italy, Czech Republic) 2675
Sleep breathing and periodic leg movement pattern in Angelman Syndrome: A polysomnographic study
S. Miano, O. Bruni, M. Elia, S.A. Musumeci, E. Verrillo, R. Ferri (Italy) 2685
Caffeine effects on resting-state arousal
R.J. Barry, J.A. Rushby, M.J. Wallace, A.R. Clarke, S.J. Johnstone, I. Zlojutro (Australia) 2693
Lower frequency variability in the alpha activity in EEG among patients with epilepsy
P.G. Larsson, H. Kostov (Norway) 2701
Dipole localization using simulated intracerebral EEG
N. Chang, R. Gulrajani, J. Gotman (Canada) 2707
Simultaneous multilobar electrocorticography (mEcoG) and scalp electroencephalography (scalp EEG) during intracranial vascular surgery: A new approach in neuromonitoring
D. Debatisse, E. Pralong, A.R. Dehdashti, L. Regli (Switzerland) 2734
Altered phase-transitions in tibialis anterior and medial gastrocnemius during walking after limbsaving surgery
E. De Visser, R.P.H. Veth, H.W.B. Schreuder, J. Duysens (The Netherlands) 2741
Transcranial magnetic and electrical stimulation compared: Does TES activate intracortical neuronal circuits?
J. Brocke, K. Irlbacher, B. Hauptmann, M. Voss, S.A. Brandt (Germany) 2748

Differential modulations of intracortical neural circuits between two intrinsic hand muscles
M. Takahashi, Z. Ni, T. Yamashita, N. Liang, K. Sugawara, S. Yahagi, T. Kasai (Japan) 2757
Auditory cortical tuning to statistical regularities in phonology
M.L. Bonte, H. Mitterer, N. Zellagui, H. Poelmans, L. Blomert (The Netherlands) 2765
The measure of randomness by leave-one-out prediction error in the analysis of EEG after laser painful stimulation in healthy subjects and migraine patients
M. de Tommaso, D. Marinazzo, S. Stramaglia (Italy) 2775
Dynamics of the EEG slow-wave synchronization during sleep
R. Ferri, F. Rundo, O. Bruni, M.G. Terzano, C.J. Stam (Italy, The Netherlands) 2783
Extrauterine life duration and ontogenic EEG parameters in preterm newborns with and without major ultrasound brain lesions
J.R. Castro Conde, A.L.R. de Hoyos, E.D. Martínez, C.G. Campo, A.M. Pérez, A.A.H. Borges (Spain) 2796
Source localization of mesial temporal interictal epileptiform discharges: Correlation with intracranial foramen ovale electrode recordings
D. Zumsteg, A. Friedman, R.A. Wennberg, H.G. Wieser (Canada, Israel, Switzerland) 2810
Focal cortical high-frequency oscillations trigger epileptic spasms: Confirmation by digital video subdural EEG
T. Akiyama, H. Otsubo, A. Ochi, T. Ishiguro, G. Kadokura, R. RamachandranNair, S.K. Weiss, J.T. Rutka, O.C. Snead (Canada) 2819
Reference-free quantification of EEG spectra: Combining current source density (CSD) and frequency principal components analysis (fPCA)
C.E. Tenke, J. Kayser (USA) 2826
Pain and calf hypertrophy associated with spontaneous repetitive discharges treated with botulinum toxin
J. Costa, P. Graça, T. Evangelista, M. de Carvalho (Portugal) 2847
Reference values of fractionated neurography of the ulnar nerve at the wrist in healthy subjects
D.H. Kim, Y.K. Kang, M. Hwang, H.K. Kwon, H.J. Lee, B.G. Kim (South Korea) 2853

Letters to the Editor
MEG: good enough—a response
N. Tepley (USA) 236
Reply to Norman Tepley
R. Lesser (USA) 237
Standardizing and validating transcranial magnetic stimulation measures for use in stroke rehabilitation research
L. Koski, B.H. Dobkin (USA) 740
Auditory mismatch negativity is a good predictor of awakening in comatose patients: a fast and reliable procedure
L. Naccache, L. Puybasset, R. Gaillard, E. Serve, J.-C. Willer (France) 988
Acute repetitive pilomotor seizures
C. Kellinghaus, T. Loddenkemper (Germany, USA) 989
Reply
J. Buchhalter, G. Dove, G. Cascino (USA) 990
The occurrence of carpal tunnel syndrome in chronic inflammatory demyelinating polyneuropathy
D. Cocito, P. Ciaramitaro, A. Tavella, F. Poglio, I. Paolasso, B. Bergamasco, G. Isoardo (Italy) 2251
Lateralization of pupillary light reflex parameters. Comment on the paper: Bär KJ, Boettger MK, Till S, Dolicek J, Sauer H. Clin Neurophysiol 2005;116:790–798.
K.N. Fountoulakis, M. Siamouli, F. Fotiou, G.S. Kaprinis (Greece) 2505
Reply to Fountoulakis et al.
K.-J. Bär, M.K. Boettger (Germany) 2505
Heart rate variability in comatose and brain-dead patients
C. Machado, O.D. García, J. Gutiérrez, L. Portela, M.C. García (Cuba) 2859
Reply to Machado et al.
H.I. Chen, T.B. Kuo (Taiwan, ROC) 2860
Silent EEG seizures and ictal seizures in the suppression period of neonatal burst-suppression records
M.L. Nunes, R.L. Khan (Brazil) 2860
Reply to Nunes and Khan
H. Otsubo, A. Al-Futaisi (Canada) 2861

Book reviews
Handbook of Clinical Neurophysiology
G.F. Abbruzzese (Italy) 238
Myotonic Dystrophy: Present Management, Future Therapy
A. Cruz-Martinez (Spain) 239
Ions in the Brain, Normal Function, Seizures, and Stroke
A. Destexhe (France) 466

Catastrophic Neurologic Disorders in the Emergency Department, 2nd edition
E. Schmutzhard (Austria) 738
Fifty Neurologic Cases from Mayo Clinic
M. Donaghy (UK) 739
Malingering and Illness Deception
B. Gómez-Ansón (Spain) 985
Brave New Brain—Conquering Mental Illness in the Era of the Genome
I. Puls, A. Heinz (Germany) 986
Do You Really Need Back Surgery: A Surgeon's Guide to Neck and Back Pain and How To Choose Your Treatment
M. Fisher (USA) 986
Restless Legs Syndrome
A. Iranzo (Spain) 1487
Clinical Neurophysiology, Volume 1 (Revised and Enlarged Edition), EMG, Nerve Conduction and Evoked Potentials
C. Krarup (Denmark) 1743
Modern Neurosurgery—Clinical Translation of Neuroscience Advances
X. Navarro (Spain) 1744
Clinical Neurophysiology of Disorders of Muscle and Neuromuscular Junction, Including Fatigue
J.M. Fernandez (Spain) 1994
Clinical Neurophysiology of Motor Neuron Diseases
A. Fuglsang-Frederiksen (Denmark) 2858

Society Proceedings
VIIIth Quantitative EMG Congress, Nijmegen, The Netherlands, 9-11 June 2004
M.J. Zwarts, D.F. Stegeman (The Netherlands) 468
Annual Meeting of the Western Clinical Neurophysiology Society, Rancho Mirage, CA, USA, February 20–22, 2004
doi:10.1016/j.clinph.2004.10.008 e1
51st Congress of the Czech and Slovak Society of Clinical Neurophysiology, Srni, Czech Republic, 3–6 November, 2004
doi:10.1016/j.clinph.2005.01.003 e5
Eastern Association of Electroencephalographers, 59th Annual Meeting, New York, March 12, 2005
doi:10.1016/j.clinph.2005.04.011 e15
Proceedings of the 11th Biennial Clinical Neurophysiology Workshop of the Australian Association of Neurologists
doi:10.1016/j.clinph.2005.05.001 e19
Deutsche Gesellschaft für Klinische Neurophysiologie und Funktionelle Bildgebung e. V. (DGKN), Jena, 15–19 September 2004
doi:10.1016/j.clinph.2005.05.002 e25
2005 American Association of Neuromuscular & Electrodiagnostic Medicine Annual Meeting Abstracts, Monterey, CA, USA, September 21–24, 2005
doi:10.1016/j.clinph.2005.07.012 e133

Meeting Report 1488

Meeting Report 1745

Acknowledgement to reviewers 2863

Index of Authors to Volume 116 2864

Index of Subjects to Volume 116 2883

Table of Contents to Volume 116 2921

This article does not appear in the printed product, it is available in the online version of this issue.